



PLANO-CONCAVE LENSES

Specification

Material:	N-BK7 or Click this to Glass List 
Dismension Tolerance:	+0 / -0.05mm
Foci Tolerance:	±1%
Center Thickness Tolerance:	±0.05mm
Centeration Deviation:	2'
Surface Figure:	$\lambda/4@632.8\text{nm}$
Surface Quality:	40 / 20
Bevel:	0.25 × 45°
Clear Aperture:	>90%
Coating:	Specified by customer



PRODUCTS LIST

Part No.	BFL [mm]	Dia [mm]	Radius [mm]	EFL [mm]	Tc [mm]	Te [mm]
SSL-RO-LPE-001	-9.0	3.00	4.65	-10.32	2.0	2.25
SSL-RO-LPE-002	-12.0	3.00	6.20	-13.32	2.0	2.18
SSL-RO-LPE-003	-15.0	3.00	7.78	-16.32	2.0	2.14
SSL-RO-LPE-004	-10.0	4.00	5.19	-11.32	2.0	2.40
SSL-RO-LPE-005	-12.0	4.00	6.22	-13.32	2.0	2.33
SSL-RO-LPE-006	-12.0	5.00	6.22	-13.32	2.0	2.52
SSL-RO-LPE-007	-15.0	5.00	7.75	-16.32	2.0	2.41
SSL-RO-LPE-008	-9.8	6.00	5.06	-11.12	2.0	3.00
SSL-RO-LPE-009	-18.0	6.00	9.30	-19.32	2.0	2.50
SSL-RO-LPE-010	-21.0	6.00	10.85	-22.32	2.0	2.42
SSL-RO-LPE-011	-30.0	6.00	15.50	-31.32	2.0	2.29
SSL-RO-LPE-012	-36.0	6.00	18.61	-37.32	2.0	2.24
SSL-RO-LPE-013	-48.0	6.00	24.81	-49.32	2.0	2.18
SSL-RO-LPE-014	-72.0	6.00	37.22	-73.32	2.0	2.12
SSL-RO-LPE-015	-12.7	6.35	6.56	-14.02	2.0	2.82
SSL-RO-LPE-016	-25.4	6.35	13.12	-26.72	2.0	2.39
SSL-RO-LPE-017	-38.1	6.35	19.69	-39.42	2.0	2.30
SSL-RO-LPE-018	-50.2	6.35	25.94	-51.52	2.0	2.19

SSL-RO-LPE-019	-18.0	9.00	9.32	-19.32	2.0	3.16
SSL-RO-LPE-020	-22.0	9.00	11.37	-23.32	2.0	2.93
SSL-RO-LPE-021	-27.0	9.00	13.95	-28.32	2.0	2.75
SSL-RO-LPE-022	-36.0	9.00	18.61	-37.32	2.0	2.55
SSL-RO-LPE-023	-45.0	9.00	23.26	-46.32	2.0	2.44
SSL-RO-LPE-024	-24.0	12.00	12.42	-25.32	2.0	3.55
SSL-RO-LPE-025	-30.0	12.00	15.50	-31.32	2.0	3.21
SSL-RO-LPE-026	-42.0	12.00	21.71	-43.32	2.0	2.85
SSL-RO-LPE-027	-54.0	12.00	27.91	-55.32	2.0	2.65
SSL-RO-LPE-028	-72.0	12.00	37.21	-73.32	2.0	2.49
SSL-RO-LPE-029	-100.0	12.00	51.68	-101.32	2.0	2.35
SSL-RO-LPE-030	-19.0	12.70	9.81	-20.32	2.0	4.33
SSL-RO-LPE-031	-25.4	12.70	13.12	-26.72	2.0	3.64
SSL-RO-LPE-032	-38.1	12.70	19.69	-39.42	2.0	3.05
SSL-RO-LPE-033	-50.2	12.70	25.94	-51.52	2.0	2.79
SSL-RO-LPE-034	-62.9	12.70	32.50	-64.22	2.0	2.63
SSL-RO-LPE-035	-75.6	12.70	39.07	-76.92	2.0	2.52
SSL-RO-LPE-036	-100.0	12.70	51.68	-101.32	2.0	2.39
SSL-RO-LPE-037	-30.0	15.00	15.50	-31.32	2.0	3.95
SSL-RO-LPE-038	-40.0	15.00	20.67	-41.32	2.0	3.41
SSL-RO-LPE-039	-60.0	15.00	31.11	-61.32	2.0	2.92
SSL-RO-LPE-040	-75.0	15.00	38.76	-76.32	2.0	2.73
SSL-RO-LPE-041	-100.0	15.00	51.68	-101.32	2.0	2.55
SSL-RO-LPE-042	-18.0	18.00	9.33	-19.32	3.0	9.86
SSL-RO-LPE-043	-36.0	18.00	18.62	-37.98	3.0	5.31
SSL-RO-LPE-044	-72.0	18.00	37.22	-73.98	3.0	4.10
SSL-RO-LPE-045	-30.0	20.00	15.50	-31.98	3.0	6.65
SSL-RO-LPE-046	-40.0	20.00	20.70	-41.98	3.0	5.58
SSL-RO-LPE-047	-50.0	20.00	25.84	-51.98	3.0	5.01
SSL-RO-LPE-048	-70.0	20.00	36.18	-71.98	3.0	4.41
SSL-RO-LPE-049	-100.0	20.00	51.68	-101.98	3.0	3.98
SSL-RO-LPE-050	-30.0	25.00	15.50	-32.64	4.0	10.34
SSL-RO-LPE-051	-35.0	25.00	18.11	-37.64	4.0	9.01
SSL-RO-LPE-052	-40.0	25.00	20.67	-42.64	4.0	8.21
SSL-RO-LPE-053	-50.0	25.00	25.84	-52.64	4.0	7.22
SSL-RO-LPE-054	-60.0	25.00	31.01	-62.64	4.0	6.63
SSL-RO-LPE-055	-75.0	25.00	38.76	-77.64	4.0	6.07
SSL-RO-LPE-056	-100.0	25.00	51.68	-102.64	4.0	5.53
SSL-RO-LPE-057	-125.0	25.00	64.62	-127.64	4.0	5.22

SSL-RO-LPE-058	-150.1	25.00	77.55	-152.64	4.0	5.01
SSL-RO-LPE-059	-200.0	25.00	103.50	-202.64	4.0	4.74
SSL-RO-LPE-060	-400.0	25.00	209.20	-402.64	4.0	4.37
SSL-RO-LPE-061	-500.0	25.00	258.40	-502.64	4.0	4.30
SSL-RO-LPE-062	-25.4	25.40	13.12	-28.04	4.0	13.83
SSL-RO-LPE-063	-35.0	25.40	18.00	-37.64	4.0	9.20
SSL-RO-LPE-064	-50.2	25.40	25.94	-52.84	4.0	7.32
SSL-RO-LPE-065	-75.6	25.40	39.07	-78.24	4.0	6.12
SSL-RO-LPE-066	-100.0	25.40	51.68	-102.64	4.0	5.58
SSL-RO-LPE-067	-125.0	25.40	64.60	-127.64	4.0	5.26
SSL-RO-LPE-068	-150.0	25.40	77.44	-152.64	4.0	5.04
SSL-RO-LPE-069	-175.0	25.40	90.27	-177.64	4.0	4.90
SSL-RO-LPE-070	-200.0	25.40	103.36	-202.64	4.0	4.78
SSL-RO-LPE-071	-250.0	25.40	128.80	-252.64	4.0	4.60
SSL-RO-LPE-072	-300.0	25.40	154.50	-302.64	4.0	4.50
SSL-RO-LPE-073	-400.0	25.40	206.00	-402.64	4.0	4.40
SSL-RO-LPE-074	-500.0	25.40	257.60	-502.64	4.0	4.30
SSL-RO-LPE-075	-750.0	25.40	386.30	-752.64	4.0	4.20
SSL-RO-LPE-076	-60.0	40.00	31.03	-63.30	5.0	12.31
SSL-RO-LPE-077	-100.0	40.00	51.65	-103.30	5.0	9.03
SSL-RO-LPE-078	-200.0	40.00	103.30	-203.30	5.0	6.95
SSL-RO-LPE-079	-300.0	40.00	155.04	-303.30	5.0	6.30
SSL-RO-LPE-080	-400.0	40.00	206.72	-403.30	5.0	5.97
SSL-RO-LPE-081	-75.0	50.00	38.76	-78.30	5.0	14.14
SSL-RO-LPE-082	-100.0	50.00	51.68	-103.30	5.0	11.45
SSL-RO-LPE-083	-125.0	50.00	64.60	-128.30	5.0	10.03
SSL-RO-LPE-084	-150.0	50.00	77.52	-153.30	5.0	9.14
SSL-RO-LPE-085	-175.0	50.00	90.44	-178.30	5.0	8.52
SSL-RO-LPE-086	-200.0	50.00	103.36	-203.30	5.0	8.07
SSL-RO-LPE-087	-250.0	50.00	129.21	-253.30	5.0	7.44
SSL-RO-LPE-088	-500.0	50.00	258.40	-503.30	5.0	6.21
SSL-RO-LPE-089	-62.9	50.80	32.50	-66.20	5.0	17.22